E-mail: Dylan@tec-rubber.com





Degree Elbows of EPDM Black

Degree Elbows of EPDM Black Rubber Elbow pipe connectors can be used with lots of different types of pipe, including metals, plastics, and rubber hose. In all cases, people should make sure that all of the pipe is suitable for the intended application,

1. Product Introduction of the Degree Elbows of EPDM Black Rubber

A rubber elbow is a length of elbow pipe made out of rubber. Elbow pipe is set at an angle to allow pipelines to change direction. This is often necessary in cramped spaces or when running lines from one point to another, because that line is rarely straight. Using EPDM rubber elbows allows people to create bending sets of pipes without compromising the integrity of the pipe by attempting to bend or force a stretch of pipe which was designed to be straight. This product is commonly used in construction industry to protect water pipes, cables, wires and other products from corrosion and wear, rated to handle the temperature, pressure.







2. Product Parameter (Specification)

Product Name:	Fashionable Color Rubber Stall Chains
Material:	NBR, HNBR, EPDM, SILICONE, VITON, FLS, FFPM, PTFE
Size:	Any size, Customized/standard and nonstandard
Color:	Black
Packing:	plastic bag&carton box or according to your requirements
Sample time:	20-25days
Application:	Horse

Xiamen Liangju Rubber Technology Co., Ltd.



Warranty:	2years 2
-	

3. our service.


- 1. Inquiry about our products can be replied within 12 hours.
- 2. Professional & experienced staff help you solve problems of silicone and rubber
- 3. Accept customized shape, material, hardness, temperature, size, color, logo and packing.
- 4. Mode of production: Compression or injection or extrusion.
- 5.We have a comprehensive range of in-house manufacturing facilities, allowing us to provide fast and effective manufacturing.

4. Quality Control and Certifications

We serve our customers with high quality Customized Shape Rubber Gaskets by strictly follow ISO 9001:2015 and IATF 16949.



QC Flow



Dimensional Inspection



Incoming QC



In-process QC



In-process QC



In-process QC



FQC

5. Packing, Payment and Shipping

Our packing for all the Customized Shape Rubber Gaskets, strong enough to ensure its safety throughout the whole delivery no mater domestic or oversea shipping. Customized Packing/LOGO/Labeling are Available.

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151 E-mail: Dylan@tec-rubber.com








ISO 9001: 2015

IATF 16949: 2016



6. FAQ

1. Do you supply material?

Yes, we have our own mixing rubber factory and can supply you with Synthetic Rubbers to fit your applications.

2. If OEM is acceptable?

Yes, Samples are Free of charge

3. What Is EPDM Rubber?

Xiamen Liangju Rubber Technology Co., Ltd.



EPDM is a synthetic rubber polymer and is made from ethylene and propylene monomers. This rubber was developed in the early 1960's and used to produce variety of products like radiator and steam hoses, freezer gaskets, tires, roofing membranes and aircraft seals to name only a few.

4. Why is rubber used to produce industrial products?

Rubber has certain unique properties which makes it suitable to produce rubber products which are widely used in various industrial applications. Rubber is water repellent. It is resistant to alkalies and weak acids. Rubber has elasticity, toughness, impermeability, adhesiveness, and electrical resistance. These properties make rubber useful as an adhesive, a coating composition, a fiber, a molding compound, as well as an electrical insulator.

5. Which type of rubber is best for my application?

There are a range of natural and synthetic rubbers with different properties, making some more suitable than others for particular applications—the key of course is choosing the most appropriate one! For specific requirements, please ask our rubber products specialists for guidance.