



The Basketball Rubber Inflation

Liangju is a large-scale Rubber Inflation Valves manufacturer and supplier in China. We have been specialized in rubber for many years. The Basketball Rubber Inflation Valves have a good price advantage and cover most of the European and American markets. We look forward to becoming your long-term partner in China.

1. Product Introduction of The Basketball Rubber Inflation Valves

The The Basketball Rubber Inflation Valves is made according to the principle of air pressure reverse sealing. There is a rubber cushion in the air hole of basketball. When the ball needle is used to pump air, the rubber cushion will be broken by the huge pressure of the air cylinder, and when the air cylinder is pulled out, the gas in the ball will give the rubber pad an outward force, resulting in the reduction of the rubber pad into a closed state. Therefore, the basketball's inflation valves will not leak, unless its rubber pad is old and does not play a sealing role."



The rubber inflation valves in today sports balls are generally well made; however, over time they become non-functional due to age, use and seasonal temperature extremes. Liangju Rubber Technology provides its customers with precision solutions to solve the problems like aging, leakage and others. We offer an economical alternative to buying costly new sport balls.





2. Product Parameter (Specification)


Product Name:	Rubber Inflation Valves
Material:	NBR, HNBR, EPDM, SILICONE, VITON, FLS, FFPM, PTFE
Size:	Any size, Customized/standard and nonstandard
Color:	Black
Packing:	plastic bag&carton box or according to your requirements
Sample time:	20-25days
Application:	Basketball
Warranty:	2years

3. our service.

1. Inquiry about our products can be replied within 12 hours.
2. Professional & experienced staff help you solve problems of silicone and rubber products.
3. Accept customized shape, material, hardness, temperature, size, color, logo and packing.
4. Mode of production: Compression or injection or extrusion.
5. We have a comprehensive range of in-house manufacturing facilities, allowing us to provide fast and effective manufacturing.

4. Quality Control and Certifications

We serve our customers with high quality Customized Shape Rubber Gaskets by strictly follow ISO 9001:2015 and IATF 16949.



Dimensional Inspection



Incoming QC



In-process QC



In-process QC



In-process QC



FQC

5. Packing, Payment and Shipping


Our packing for all the Customized Shape Rubber Gaskets, strong enough to ensure its safety throughout the whole delivery no matter domestic or oversea shipping. Customized Packing/LOGO/Labeling are Available.



ISO 9001 : 2015



IATF 16949 : 2016



6. FAQ

1. Do you supply material?

Yes, we have our own mixing rubber factory and can supply you with Synthetic Rubbers to fit your applications.

2. If OEM is acceptable?

Yes, Samples are Free of charge

3. What Is EPDM Rubber ?

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151

E-mail: Dylan@tec-rubber.com



EPDM is a synthetic rubber polymer and is made from ethylene and propylene monomers. This rubber was developed in the early 1960's and used to produce variety of products like radiator and steam hoses, freezer gaskets, tires, roofing membranes and aircraft seals to name only a few.

4. Why is rubber used to produce industrial products?

Rubber has certain unique properties which makes it suitable to produce rubber products which are widely used in various industrial applications. Rubber is water repellent. It is resistant to alkalies and weak acids. Rubber has elasticity, toughness, impermeability, adhesiveness, and electrical resistance. These properties make rubber useful as an adhesive, a coating composition, a fiber, a molding compound, as well as an electrical insulator.

5. Which type of rubber is best for my application?

There are a range of natural and synthetic rubbers with different properties, making some more suitable than others for particular applications—the key of course is choosing the most appropriate one! For specific requirements, please ask our rubber products specialists for guidance.